

SWX360

Waterborne Pre-Cleaner

PPG One Choice[™] brand Waterborne Pre-Cleaner is a waterbased cleaner for removing contaminates prior to undercoating or top coating. It is conveniently packaged ready for use or may be mixed with water at several ratios for different levels of VOC compliance.



Features	Required Products	Compatible Products
Packaged ready for useProduces consistent results	SWX360 Waterborne Pre-Cleaner	SWX360 Waterborne Pre-Cleaner is for use with PPG and Nexa Autocolor brand products.
Advantages		
• Can be used with PPG or Nexa Autocolor systems.		
Benefits		
 Customer satisfaction 		
SWX360 is packaged ready for use	e but may also be mixed with water t	o comply with specific VOC requirements
Mix Ratio		VOC
Mix Ratio Packaged ready for use:		VOC 0.58 lbs/gal / 70 gm/l

Mixed at a 1:2 ratio, 1 part SWX360 to 2 parts water

0.20 lbs/gal / 24 gm/l



	 Apply a generous amount of SWX360 with a clean cloth or by use of a hand held spray bottle. Initial application floats contaminants to the surface where the second wipe with a clean, dry clot will remove the contaminants. For maximum results, wipe dry with clean cloth while the surface is still wet, to eliminate smearing of contaminants. 	
Technical Data:	Color:	Clear
	Packaged VOC	0.58 lbs/gal (70 g/L)
	Density:	8.18 lbs/gal
	Flashpoint (PMCC):	102°F (39°C)
Important:		

Before opening the packages, be sure you understand the warning messages on the labels of all components, since the mixture may have the hazards of all its parts. Improper use may result in a hazardous condition. Wear eye and skin protection. Observe all applicable precautions.

Material Safety Data Sheet and Labels for additional safety information and handling instructions.

EMERGENCY MEDICAL OR SPILL CONTROL INFORMATION (412) 434 -4515. IN CANADA (514) 645-1320

Materials described are designed for application by professional, trained personnel using proper equipment and are not intended for sale to the general public. Products mentioned may be hazardous and should only be used according to directions, while observing precautions and warning statements listed on label. Statements and methods described are based upon the best information and practices known to PPG Industries. Procedures for applications mentioned are suggestions only and are not to be construed as representations or warranties as to performance, results, or fitness for any intended use, nor does PPG Industries warrant freedom from patent infringement in the use of any formula or process set forth herein.

PPG Industries

Directions For Use

World Leaders in Automotive Finishes

PPG Industries 19699 Progress Drive Strongsville, OH 44149 1-800-647-6050

PPG Canada Inc. 2301 Royal Windsor Drive Mississauga, Ontario, Canada L5J 1K5 1-888-310-4762